

SAFETY DATA SHEET

1. Identification

Product identifier	RHEOLUBE 365A-MS		
Other means of identification			
Product Code	RHEOLUBE 365A-MS		
Recommended use	Lubricating Grease		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplie	er/Distributor information		
Manufacturer			
Company name	Nye Lubricants, Inc.		
Address	12 Howland Road		
	Fairhaven, MA 02719		
	United States		
Telephone	General Assistance	+1-508-996-6721	
Website	www.nyelubricants.com		
E-mail	sds@nyelubricants.com		
Contact person	Nye Lubricants EH&S		
Emergency phone number	3E Online	+1-800-451-8346	

2. Hazard(s) identification

	•	
Physical hazards	Not classified.	
Health hazards	Reproductive toxicity	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
	\wedge	
.		
Signal word	Warning	
Hazard statement	Suspected of damaging fertility	y or the unborn child.
Precautionary statement		
Prevention	•	ore use. Do not handle until all safety precautions have been read ive gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get i	medical advice/attention.
Storage	Store locked up.	
Disposal	Dispose of contents/container	in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
MOLYBDENUM DISULFIDE		1317-33-5	5 - < 10*
ALKYLATED DIPHENYLAMINE		Trade Secret	1 - < 3*
PHENOL, ISOBUTYLENATED, PHOSPHATE (3:1)		68937-40-6	1 - < 3*

Chemical name	Common name and synonyms	CAS number	%
AMINE SALTS OF ALKYL PHOSPHATE ESTERS		Trade Secret	< 0.2*
Other components below report	able levels		90 - 100
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	ns develop or persist.	
Skin contact	Wash off with soap and water. Get medical at	ttention if irritation develops and	d persists.
Eye contact	Rinse with water. Get medical attention if irrita	ation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if sympton	ms occur.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporar	y irritation.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tree Symptoms may be delayed.	at symptomatically. Keep victin	under observation.
General information	IF exposed or concerned: Get medical advice (show the label where possible). Ensure that involved, and take precautions to protect then attendance.	medical personnel are aware o	f the material(s)
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	oon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	rotective clothing must be worr	in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers	5.	
Specific methods	Use standard firefighting procedures and con-	sider the hazards of other invol	ved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothing authorities should be advised if significant spi see section 8 of the SDS.	g during clean-up. Ensure adec	uate ventilation. Loca
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. For waste disposal, see section 13 of the SDS		ush area with water.
Environmental precautions	Avoid discharge into drains, water courses or	onto the ground.	
7. Handling and storage			
Precautions for safe handling	Obtain special instructions before use. Do not and understood. Avoid prolonged exposure. F this product. Should be handled in closed sys appropriate personal protective equipment. O	Pregnant or breastfeeding wom stems, if possible. Provide adec	en must not handle uate ventilation. Wear
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed contai Section 10 of the SDS).	ner. Store away from incompat	ible materials (see
8. Exposure controls/pers	1		

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	s for Air Contaminants (29 CFR 1910.1000 Type	Value	Form
MOLYBDENUM DISULFIDE (CAS 1317-33-5)	PEL	15 mg/m3	Total dust.
US. ACGIH Threshold Limi			
Components	Туре	Value	Form
MOLYBDENUM DISULFIDE (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
iological limit values	No biological exposure limits noted for the	he ingredient(s).	
iological limit values ppropriate engineering ontrols	No biological exposure limits noted for the Good general ventilation should be used applicable, use process enclosures, loca maintain airborne levels below recomme established, maintain airborne levels to	d. Ventilation rates should b al exhaust ventilation, or oth ended exposure limits. If exp	ner engineering controls to
ppropriate engineering ontrols	Good general ventilation should be used applicable, use process enclosures, loca maintain airborne levels below recomme	d. Ventilation rates should b al exhaust ventilation, or oth ended exposure limits. If exp an acceptable level.	ner engineering controls to
ppropriate engineering ontrols	Good general ventilation should be used applicable, use process enclosures, loca maintain airborne levels below recomme established, maintain airborne levels to	d. Ventilation rates should b al exhaust ventilation, or oth ended exposure limits. If exp an acceptable level. t	ner engineering controls to posure limits have not been
ppropriate engineering ontrols dividual protection measures	Good general ventilation should be used applicable, use process enclosures, loca maintain airborne levels below recomme established, maintain airborne levels to s, such as personal protective equipmen	d. Ventilation rates should b al exhaust ventilation, or oth ended exposure limits. If exp an acceptable level. t	ner engineering controls to posure limits have not been
ppropriate engineering ontrols dividual protection measures Eye/face protection	Good general ventilation should be used applicable, use process enclosures, loca maintain airborne levels below recomme established, maintain airborne levels to s, such as personal protective equipmen	d. Ventilation rates should b al exhaust ventilation, or oth ended exposure limits. If exp an acceptable level. t de shields are recommende	ner engineering controls to posure limits have not been
ppropriate engineering ontrols dividual protection measures Eye/face protection Skin protection	Good general ventilation should be used applicable, use process enclosures, loca maintain airborne levels below recomme established, maintain airborne levels to s, such as personal protective equipment If contact is likely, safety glasses with sid	d. Ventilation rates should b al exhaust ventilation, or oth ended exposure limits. If exp an acceptable level. t de shields are recommende ves.	ner engineering controls to posure limits have not been
ppropriate engineering ontrols dividual protection measures Eye/face protection Skin protection Hand protection	Good general ventilation should be used applicable, use process enclosures, loca maintain airborne levels below recomme established, maintain airborne levels to s, such as personal protective equipment If contact is likely, safety glasses with sid Wear appropriate chemical resistant glo	d. Ventilation rates should b al exhaust ventilation, or oth ended exposure limits. If exp an acceptable level. t de shields are recommende ves.	ner engineering controls to posure limits have not been ed.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

100

Appearance	Smooth	
Physical state	Solid.	
Form	Solid. Semi-solid	
Color	Gray Black	
Odor	Not available.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
nitial boiling point and boiling range	Not available.	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or expl	osive limits	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	

10. Stability and reactivi	ty
Shelf life	4 years
Oxidizing properties	Not oxidizing.
Explosive properties	Not explosive.
Dropping point	320 °F (160 °C)
Density	0.88 g/cm³ JG090609 04/06/15
Other information	
Viscosity	Not available.
Decomposition temperature	Not available.
Auto-ignition temperature	Not available.
Partition coefficient (n-octanol/water)	Not available.
Partition coefficient	Not available.

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results	
MOLYBDENUM DISULFIDE (CAS	S 1317-33-5)		
Acute			
Dermal			
LD50	Rat	2500 mg/kg	
Oral			
LD50	Rat	3200 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may caus	e temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall Not listed.	Evaluation of Carcinogenicity		

OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1053)
Not listed.	
	ogram (NTP) Report on Carcinogens
Not listed.	
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.
12. Ecological information	n
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal consideratio	ns
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot applicable.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and R	eauthorization Act of 1986 (SARA)	
SARA 302 Extremely haza	. ,	
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
Classified hazard categories	Reproductive toxicity	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Contains component(s) regulated under the Safe Drinking Water A	Act.
US state regulations		
US. California. Candidate ((a))	Chemicals List. Safer Consumer Products Regulations (Cal. Code	e Regs, tit. 22, 69502.3, subd.
PHENOL, ISOBUTYLE	IATED, PHOSPHATE (3:1) (CAS 68937-40-6)	
California Proposition 65		
	his product can expose you to QUARTZ, which is known to the State ancer. For more information go to www.P65Warnings.ca.gov.	of California to cause
California Proposition	65 - CRT: Listed date/Carcinogenic substance	
QUARTZ (CAS 148	08-60-7) Listed: October 1, 1988	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Callaua	Non-Domestic Substances List (NDSL)	NU
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	April-08-2014
Revision date	March-06-2024
Version #	13
List of abbreviations	AICIS: Australian Inventory of Industrial Chemicals.

Disclaimer

Nye Lubricants, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. This document has undergone significant changes and should be reviewed in its entirety.

Revision information