SAFETY DATA SHEET



1. Identification

1. Identification		
Product identifier	RHEOLUBE 368AXF	
Other means of identification		
Product Code	RHEOLUBE 368AXF	
Recommended use	Lubricating Grease	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/I	Distributor information	
Company name	Nye Lubricants, Inc.	
	A Member of the FUCHS Group	
Address	12 Howland Road	
	Fairhaven, MA 02719	
	USA	
Telephone	+1 508 996 6721	
E-mail	sds@fuchs.com	
Emergency telephone number	+1 866 519 4752	
Access code	334212	
Website	www.nyelubricants.com	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Sensitization, skin Category 1	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	May cause an allergic skin reaction.	
Precautionary statement		
Prevention	Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.	
Response	If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	

3. Composition/information on ingredients

Mixtures _

Chemical name	Common name and synonyms	CAS number	%
MOLYBDENUM,		72030-25-2	1 - < 3
BIS[O,O-BIS(2-ETHYLHEXYL)			
PHOSPHORODITHIOATO-S,S']DIC)		
XODIMUTHIOXODI-, (MO-MO)			
Material name: RHEOLUBE 368AXF			SDS US

Instalation Move to fresh air. Call a physician if symptoms develop or persist. Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Eye contact Rinse mouth. Get medical attention if irritation develops and persists. Rinse mouth. Get medical attention if symptoms occur. May cause an allergic skin reaction. Dermattis. Rash. Most important May cause an allergic skin reaction. Dermattis. Rash. Symptoms/effects, acute and information Provide general supportive measures and treat symptomatically. Keep victim under observation. Someral information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. 5. Fire-fighting measures Suitable extinguishing media Insuitable extinguishing media Insuitable extinguishing media protective equipment and proceutions for firelighter During fire, gases hazardous to health may be formed. Specific hazards arising from the chemical protective equipment and proceutions for firelighter Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Specific hazards Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. 6. Accidental release measures	DIHYDRO-3-(OCTÁDECENYL)- PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC Other components below reportable lev 4. First-aid measures nhalation Move Skin contact Remo eczen Eye contact Rinse ngestion Rinse Most important May of Symptoms/effects, acute and lelayed ndication of immediate Provio symptoms/effects, acute and lelayed ndication of immediate Provio 5. Fire-fighting measures Suitable extinguishing media Specific hazards arising from During he chemical Specific hazards arising from During he chemical Specific methods Use s Specific methods Use s Seneral fire hazards No un 6. Accidental release measures	to fresh air. Call a physician if sym ve contaminated clothing immediat na or other skin disorders: Seek me with water. Get medical attention if mouth. Get medical attention if syr ause an allergic skin reaction. Derr de general supportive measures an toms may be delayed. e that medical personnel are aware of themselves. Wash contaminated	64742-52-5 aptoms develop or persist. tely and wash skin with soap and velocal attention and take along the if irritation develops and persists. mptoms occur. matitis. Rash. Ind treat symptomatically. Keep vict e of the material(s) involved, and t clothing before reuse. Carbon dioxide (CO2). as this will spread the fire.	< 1 90 - 100 water. In case of ese instructions.
HYDROTREATED HEAVY NAPHTHENIC 90 - 100 4. First-aid measures 90 - 100 4. First-aid measures Move to fresh air. Call a physician if symptoms develop or persist. Skin contact Remove contaminated clothing immediately and wash skin with scap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Systecontact Rinse with water. Get medical attention if symptoms occur. Most important May cause an allergic skin reaction. Dermatitis. Rash. Symptoms/effects, acute and falsayod Provide general supportive measures and treat symptomatically. Keep victim under observation. Specific namediate medical attention and special reatment needed Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. 5. Fire-fighting measures During fire, gases hazardous to health may be formed. Specific hazards arising from specific methods Use water spray to cool unopened containers. Specific methods Use water spray to cool unopened containers. Specific methods Use water spray to cool unopened containers. Specific methods Keep unnecessary personnel away. Keep people away from and upwind of split/leak. Wear appropriate protective equipment and containers and closhing during disonand of significant spliages cannot be containers.	HYDROTREATED HEAVY NAPHTHENIC Other components below reportable levent 4. First-aid measures nhalation Move Skin contact Remonstrate Eye contact Rinse ngestion Rinse Most important May of the symptoms/effects, acute and delayed ndication of immediate Provid Symptoms/effects, acute and delayed ndication of immediate Provid Symptoms/effects, acute and delayed Seneral information Ensure protection Suitable extinguishing media Water Jusuitable extinguishing media Do not special protective equipment Specific hazards arising from the chemical Self-cor specific hazards arising from the chemical Specific methods Use we approxed to the specific methods Specific methods Use specific methods General fire hazards No un	to fresh air. Call a physician if sym ve contaminated clothing immediat na or other skin disorders: Seek me with water. Get medical attention if mouth. Get medical attention if syr ause an allergic skin reaction. Derr de general supportive measures an toms may be delayed. e that medical personnel are aware of themselves. Wash contaminated	aptoms develop or persist. tely and wash skin with soap and vedical attention and take along the if irritation develops and persists. mptoms occur. matitis. Rash. Ind treat symptomatically. Keep vict e of the material(s) involved, and t clothing before reuse. Carbon dioxide (CO2). as this will spread the fire.	90 - 100 water. In case of ese instructions.
4. First-aid measures nhalation Move to fresh air. Call a physician if symptoms develop or persist. Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin discorders: Seek medical attention and take along these instructions. Symptoms offects, acute and island and the along these instructions. Rinse with water. Get medical attention if irritation develops and persists. Roy of the skin discorders: Seek medical attention and take along these instructions. Symptoms offects, acute and island and see allergic skin reaction. Dermatitis. Rash. May cause an allergic skin reaction. Dermatitis. Rash. Symptoms may be delayed. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. Sentation of immediate medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. 5. Fire-fighting media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). During fire, gases hazardous to health may be formed. During fire, gases hazardous to health may be formed. Specific hazards arising from heached Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.	4. First-aid measures nhalation Move Skin contact Remo eczen Skin contact Remo eczen Eye contact Rinse ngestion Rinse Most important May of symptoms/effects, acute and delayed ndication of immediate medical attention and special reatment needed Provid Symp General information Ensur protect 5. Fire-fighting measures Suitable extinguishing media Suitable extinguishing media Water Jnsuitable extinguishing from he chemical Do no sepecific hazards arising from Special protective equipment and precautions for firefighters Self-c and precautions for firefighters Fire fighting Use we equipment/instructions Specific methods Use s General fire hazards No un 6. Accidental release measures	to fresh air. Call a physician if sym ve contaminated clothing immediat na or other skin disorders: Seek me with water. Get medical attention if mouth. Get medical attention if syr ause an allergic skin reaction. Derr de general supportive measures an toms may be delayed. e that medical personnel are aware of themselves. Wash contaminated	tely and wash skin with soap and vedical attention and take along the if irritation develops and persists. mptoms occur. matitis. Rash. Ind treat symptomatically. Keep vict e of the material(s) involved, and t clothing before reuse. Carbon dioxide (CO2). as this will spread the fire.	water. In case of ese instructions. tim under observation.
Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczma or other skin disorders: Seek medical attention and take along these instructions. Eye contact Rinse with water. Get medical attention if initation develops and persists. ngestion Rinse mouth. Get medical attention if initation develops and persists. Most important May cause an allergic skin reaction. Dermatitis. Rash. Veryingtoms/effects, acute and blayed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. Sandral information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. 5. Fire-fighting measures Suitable extinguishing media Josuface (CO2). Dusuitable extinguishing media poendic soft fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Specific Instructions Specific networks Use water spray to cool unopened containers. Specific Instructions Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. Specific Instructions No unusual fire or explosion hazards noted. Code contained. For personal protective equipment and clothing during clean-up. Do not touc damaged containers.	nhalationMoveSkin contactRemo eczenEye contactRinsengestionRinseMost importantMay cSymptoms/effects, acute and delayedProvidndication of immediate medical attention and special reatment neededProvidSeneral informationEnsur proted5. Fire-fighting measuresSuitable extinguishing media Do no mediaWater Do no specific hazards arising from During the chemicalSpecific hazards arising from equipment/instructionsDuring Self-cSpecific methodsUse w Self-cGeneral fire hazardsNo un6. Accidental release measures	ve contaminated clothing immediat na or other skin disorders: Seek me with water. Get medical attention if mouth. Get medical attention if syn ause an allergic skin reaction. Den de general supportive measures an toms may be delayed. that medical personnel are aware at themselves. Wash contaminated fog. Foam. Dry chemical powder. t use water jet as an extinguisher, a	tely and wash skin with soap and vedical attention and take along the if irritation develops and persists. mptoms occur. matitis. Rash. Ind treat symptomatically. Keep vict e of the material(s) involved, and t clothing before reuse. Carbon dioxide (CO2). as this will spread the fire.	ese instructions. tim under observation.
Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczma or other skin disorders: Seek medical attention and take along these instructions. Eye contact Rinse with water. Get medical attention if irritation develops and persists. ngestion Rinse mouth. Get medical attention if irritation develops and persists. Most important May cause an allergic skin reaction. Dermattils. Rash. Symptoms/effects, acute and jelayed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. Sonaral information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. 5. Fire-fighting measures Suitable extinguishing media and proceedings from protect themselves. Wash contaminated sonard water. During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Specific nethods Use water spray to cool unopened containers. Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. 6. Accidental release measures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing clan-up. Do tot ucu damaged containers. For waste disposal, see s	Skin contactRemonstrationEye contactRinsengestionRinseMost importantMay ofsymptoms/effects, acute and delayedMay ofndication of immediate medical attention and special general informationProvid Symp5. Fire-fighting measuresSuitable extinguishing mediaWater Do no5. Fire-fighting measuresDo noSuitable extinguishing mediaSelf-cSpecific hazards arising from equipment/instructionsUse wSpecific methodsUse wSpecific methodsUse sSource al fire hazardsNo un6. Accidental release measures	ve contaminated clothing immediat na or other skin disorders: Seek me with water. Get medical attention if mouth. Get medical attention if syn ause an allergic skin reaction. Den de general supportive measures an toms may be delayed. that medical personnel are aware at themselves. Wash contaminated fog. Foam. Dry chemical powder. t use water jet as an extinguisher, a	tely and wash skin with soap and vedical attention and take along the if irritation develops and persists. mptoms occur. matitis. Rash. Ind treat symptomatically. Keep vict e of the material(s) involved, and t clothing before reuse. Carbon dioxide (CO2). as this will spread the fire.	ese instructions. tim under observation.
ezzema or other skin disorders: Seek medical attention and take along these instructions. Eye contact Rinse with water. Get medical attention if irritation develops and persists. Ingestion Rinse worth. Get medical attention if symptoms occur. Most important May cause an allergic skin reaction. Dermatitis. Rash. Symptoms/effects, acute and biayed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. Symptoms may be delayed. Frier-fighting measures Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. 5. Fire-fighting measures During fire, gases hazardous to health may be formed. Specific hazards arising from degiument/instructions During fire, gases hazardous to health may be formed. Specific nethods Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. 6. Accidental release measures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advead if significant spillages cannot be contained. For waste disposal, see section 3 of the SDS. Stop the flow of material, fit his is without	eczenEye contactRinseIngestionRinseMost importantMay ofSymptoms/effects, acute and delayedProvidIndication of immediateProvidmedical attention and special treatment neededSympGeneral informationEnsur proted5. Fire-fighting measuresSuitable extinguishing mediaSuitable extinguishing mediaDo no mediaSpecific hazards arising from the chemicalDuring Self-cSpecial protective equipment and precautions for firefightersSelf-c Self-cFire fightingUse w Use w equipment/instructionsSpecific methodsUse s No un6. Accidental release measures	na or other skin disorders: Seek me with water. Get medical attention if mouth. Get medical attention if syn ause an allergic skin reaction. Dern de general supportive measures an toms may be delayed. e that medical personnel are aware of themselves. Wash contaminated	edical attention and take along the if irritation develops and persists. mptoms occur. matitis. Rash. nd treat symptomatically. Keep vict e of the material(s) involved, and t clothing before reuse. Carbon dioxide (CO2). as this will spread the fire.	ese instructions. tim under observation.
Agestion Rinse mouth. Get medical attention if symptoms occur. Most important symptoms/effects, acute and delayed May cause an allergic skin reaction. Dermatitis. Rash. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms/effects, acute and delayed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms/effects, acute and delayed General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. 5. Fire-fighting measures Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire. 5. Brite-fighting measures During fire, gases hazardous to health may be formed. Specific hazards arising from the chemical Specific methods During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use water spray to cool unopened containers. Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. 6. Accidental release measures Ersoure dequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment and amergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate	IngestionRinseMost importantMay ofSymptoms/effects, acute andMay ofdelayedIndication of immediateProvidIndication of immediateProvidmedical attention and specialSymptreatment neededEnsurGeneral informationEnsur5. Fire-fighting measuresSuitable extinguishing mediaSuitable extinguishing mediaDo noSpecific hazards arising from the chemicalDuringSpecial protective equipment and precautions for firefightersSelf-cFire fightingUse wequipment/instructionsUse sSpecific methodsUse sGeneral fire hazardsNo un6. Accidental release measures	mouth. Get medical attention if syr ause an allergic skin reaction. Derr de general supportive measures an toms may be delayed. e that medical personnel are aware of themselves. Wash contaminated	mptoms occur. matitis. Rash. nd treat symptomatically. Keep vict e of the material(s) involved, and t clothing before reuse. Carbon dioxide (CO2). as this will spread the fire.	
May cause an allergic skin reaction. Dermatitis. Rash. Symptoms/offects, acute and delayed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. Indication of immediate medical attention and special General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. 5. Fire-fighting measures Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed. Specific hazards arising from the chemical During fire, gases hazardous to health may be formed. Specific nethods Use water spray to cool unopened containers. Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. 6. Accidental release measures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and comergency procedures memergency procedures Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Methods and materials for containment and cleaning up prot	Most important symptoms/effects, acute and delayedMay de May de May de Indication of immediate medical attention and special Symptoms/effects, acute and delayedMay de medical attention and special Symptoms/effectsIndication of immediate medical attention and special General informationProvid Symptoms/effects 5. Fire-fighting measures Ensur protectSuitable extinguishing media May de May de Do no mediaWater Do no mediaSpecific hazards arising from the chemical Special protective equipment and precautions for firefightersSelf-c Self-c Self-c Self-c Self-c May de May de May de May de May de Self-cFire fighting equipment/instructions Specific methodsUse s Mo un May de May de <b< td=""><td>ause an allergic skin reaction. Der de general supportive measures an toms may be delayed. e that medical personnel are aware at themselves. Wash contaminated fog. Foam. Dry chemical powder. t use water jet as an extinguisher, a</td><td>matitis. Rash. nd treat symptomatically. Keep vict e of the material(s) involved, and t l clothing before reuse. Carbon dioxide (CO2). as this will spread the fire.</td><td></td></b<>	ause an allergic skin reaction. Der de general supportive measures an toms may be delayed. e that medical personnel are aware at themselves. Wash contaminated fog. Foam. Dry chemical powder. t use water jet as an extinguisher, a	matitis. Rash. nd treat symptomatically. Keep vict e of the material(s) involved, and t l clothing before reuse. Carbon dioxide (CO2). as this will spread the fire.	
symptomis/effects, acute and delayed molication of immediate medical attention and special reatment needed General information Frier-fighting measures Suitable extinguishing media Unsuitable extinguishing media During fire, gases hazardous to health may be formed. Specific hazards arising from the chemical Specific methods Specific methods Specif	symptoms/effects, acute and delayedProvid Symptoms/effects, acute and delayedIndication of immediate medical attention and special treatment neededProvid SympGeneral informationEnsur proted5. Fire-fighting measuresEnsur protedSuitable extinguishing media Unsuitable extinguishing mediaWater Do no mediaSpecific hazards arising from the chemicalDuring Self-c and precautions for firefightersFire fighting equipment/instructionsUse w Specific methodsSpecific methods General fire hazardsNo un G. Accidental release measures	de general supportive measures an toms may be delayed. e that medical personnel are aware of themselves. Wash contaminated fog. Foam. Dry chemical powder. t use water jet as an extinguisher, a	nd treat symptomatically. Keep vict e of the material(s) involved, and t clothing before reuse. Carbon dioxide (CO2). as this will spread the fire.	
Symptoms may be delayed. General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. 5. Fire-fighting measures Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire. Begeilig protective equipment and precautions for firefighters During fire, gases hazardous to health may be formed. Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment and precautions for firefighters Use water spray to cool unopened containers. Special protective equipment and procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. Self-contained breathing appropriate protective equipment and should be advised if significant spillages cannot be contained. For personal protective equipment and materials for or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective actions of soft the SDS. Methods and materials for containers or spilled material unless wearing appropriate protective couprise protective couprise protective equipment and serve good industrial hygiene practices. Avoid prolonged exposure. Provide adequate ventilation. Local authoritites should be advised if significant spillages cannot be contain	medical attention and special treatment neededSympGeneral informationEnsur protect5. Fire-fighting measuresSuitable extinguishing mediaWater Do no mediaSpecific hazards arising from the chemicalDuring Self-c and precautions for firefightersFire fighting equipment/instructionsUse w Specific methodsSpecific methodsUse s No unGeneral fire hazardsNo un6. Accidental release measures	toms may be delayed. e that medical personnel are aware at themselves. Wash contaminated fog. Foam. Dry chemical powder. t use water jet as an extinguisher, a	e of the material(s) involved, and t clothing before reuse. Carbon dioxide (CO2). as this will spread the fire.	
5. Fire-fighting measures Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Dunsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards arising from the chemical During fire, gases hazardous to health may be formed. Special protective equipment and precautions for firefighters During fire, gases hazardous to health may be formed. Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. Seneral fire hazards No unusual fire or explosion hazards noted. 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Personal precautions Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and cleaning up Environmental precautions Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. 7. Handling and storage Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Near appropriate personal protective equipment. Observe g	protect5. Fire-fighting measuresSuitable extinguishing mediaWaterUnsuitable extinguishing mediaDo notSpecific hazards arising from the chemicalDuringSpecial protective equipment and precautions for firefightersSelf-cFire fightingUse weight with the second	t themselves. Wash contaminated fog. Foam. Dry chemical powder. t use water jet as an extinguisher,	Carbon dioxide (CO2). as this will spread the fire.	ake precautions to
Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards arising from media During fire, gases hazardous to health may be formed. Specific hazards arising from and precautions for firefighters During fire, gases hazardous to health may be formed. Specific methods Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Specific methods Use water spray to cool unopened containers. General fire hazards No unusual fire or explosion hazards noted. 6. Accidental release measures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protectore clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment and cleaning up Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Firefunctions for safe handling mediand storage Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Ob	Suitable extinguishing mediaWaterUnsuitable extinguishingDo nomediaDo noSpecific hazards arising fromDuringthe chemicalDuringSpecial protective equipmentSelf-cand precautions for firefightersSelf-cFire fightingUse wequipment/instructionsSpecific methodsSpecific methodsUse sGeneral fire hazardsNo un6. Accidental release measures	t use water jet as an extinguisher,	as this will spread the fire.	
Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards arising from the chemical During fire, gases hazardous to health may be formed. Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment/instructions Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Specific methods Use water spray to cool unopened containers. General fire hazards No unusual fire or explosion hazards noted. 6. Accidental release measures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and emergency procedures Methods and materials for containment and cleaning up Environmental precautions Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Precautions for safe handling including any incompatibilities Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prelonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate perso	Unsuitable extinguishing mediaDo not mediaSpecific hazards arising from the chemicalDuring the chemicalSpecial protective equipment and precautions for firefightersSelf-c s	t use water jet as an extinguisher,	as this will spread the fire.	
media During fire, gases hazardous to health may be formed. Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment and precautions, protective equipment and emergency procedures Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. 6. Accidental release measures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and emergency procedures For waste disposal, see section 18 of the SDS. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate protective equipment. Observe good industrial hygiene practices. 7. Handling and storage Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate protective equipment. Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate protective equipment. Observe good industrial hygiene practices. Storage class (TRGS 510): 11 (Combustible	mediaSpecific hazards arising from the chemicalDuring the chemicalSpecial protective equipment and precautions for firefightersSelf-c and precautions for firefightersFire fighting equipment/instructionsUse w secific methodsSpecific methods General fire hazardsNo un secific metase6. Accidental release measures			
the chemical Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Fire fighting equipment/instructions Use water spray to cool unopened containers. Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. 6. Accidental release measures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Methods and materials for containment and cleaning up Environmental precautions Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. 7. Handling and storage Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that canno	the chemical Special protective equipment Self-c and precautions for firefighters Fire fighting Use we equipment/instructions Specific methods Use s General fire hazards No un 6. Accidental release measures	g fire, gases hazardous to health m	nay be formed.	
and precautions for firefightersFire fighting equipment/instructionsSpecific methodsGeneral fire hazardsUse standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.6. Accidental release measuresPersonal precautions, protective equipment and emergency proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.Methods and materials for containment and cleaning up Environmental precautionsStop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.7. Handling and storageAvoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above	and precautions for firefighters Fire fighting Use we equipment/instructions Specific methods Use s General fire hazards No un 6. Accidental release measures			
equipment/instructions Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. 6. Accidental release measures Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. 7. Handling and storage Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above	equipment/instructions Specific methods Use s General fire hazards No un 6. Accidental release measures			rn in case of fire.
General fire hazardsNo unusual fire or explosion hazards noted.6. Accidental release measuresPersonal precautions, protective equipment and emergency proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.Methods and materials for containment and cleaning up Environmental precautionsStop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.7. Handling and storage Precautions for safe handling including any incompatibilitiesAvoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.Conditions for safe storage, including any incompatibilitiesAtoid prolonged container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above	General fire hazards No un 6. Accidental release measures			
6. Accidental release measures Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Methods and materials for containment and cleaning up Environmental precautions Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. 7. Handling and storage Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above	6. Accidental release measures			olved materials.
Personal precautions, protective equipment and emergency proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.Methods and materials for containment and cleaning upStop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.7. Handling and storageAvoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.Keep unnecessary personnel away. Keep people away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above			ied.	
protective equipment and emergency proceduresappropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal 				
containment and cleaning up Environmental precautionsFor waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.7. Handling and storageAvoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.Conditions for safe storage, including any incompatibilitiesStore in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above	protective equipment and appro emergency procedures or spil Local	priate protective equipment and clo led material unless wearing approp authorities should be advised if sig	othing during clean-up. Do not toue priate protective clothing. Ensure a	ch damaged containers adequate ventilation.
7. Handling and storage Precautions for safe handling Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above				flush area with water.
Precautions for safe handling Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above	Environmental precautions Avoid	discharge into drains, water course	es or onto the ground.	
Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.Conditions for safe storage, including any incompatibilitiesStore in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above	7. Handling and storage			
including any incompatibilities SDS). Storage class (TRGS 510): 11 (Combustible solids that cannot be assigned to any of the above	Avoid	prolonged exposure. Provide adeq	quate ventilation. Wear appropriate	
	including any incompatibilities SDS). Storage	ge class (TRGS 510): 11 (Combust		

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	ssible Exposure Limits (PEL) for Air C Type	Value	Form
PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
US. ACGIH Threshold Limit	t Values (TLV)		
Components	Туре	Value	Form
PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
NIOSH. Immediately Dange Components	rous to Life or Health (IDLH) Values, a Type	as amended Value	
PETROLEUM	IDLH	2500 mg/m3	
DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	IDLN	2500 mg/ms	
	o Chemical Hazards Recommended E	xposure Limits (REL)	_
Components	Туре	Value	Form
PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
logical limit values	No biological exposure limits noted for	r the ingredient(s).	
propriate engineering htrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. Is applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not bee established, maintain airborne levels to an acceptable level.		
ividual protection measures Eye/face protection	, such as personal protective equipm Wear safety glasses with side shields		commended.
Skin protection Hand protection	Wear appropriate chemical resistant gloves.		
Other		-	oprop is recommended
	Wear appropriate chemical resistant		
Respiratory protection	In case of insufficient ventilation, wea		nt.
Thermal hazards	Wear appropriate thermal protective of	clothing, when necessary.	
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.		
Physical and chemical	properties		
pearance	Smooth		
Physical state	Solid.		

Material name: RHEOLUBE 368AXF

Color	Blue green.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	osive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.94 g/cm ³
Explosive properties	Not explosive.
Oxidizing properties	Not ovidi z ing
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological inform	ation

Information on likely routes of exposure

information on likely routes of exposure			
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	May cause an allergic skin reaction.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effe	cts		
Acute toxicity	Not known.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		

Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatior	1		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
NAPHTHENIC (CAS 647	FES, HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans. 42-52-5) d Substances (29 CFR 1910.1001-1053)		
Not listed.			
US. National Toxicology Pro	ogram (NTP) Report on Carcinogens		
Not listed.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal considerations			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal		

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

disposal.

15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Toxic Substances Control A	Act (TSCA)
TSCA Section 12(b) Exp	port Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Substa	ince List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency relea	se notification
Not regulated.	
	ed Substances (29 CFR 1910.1001-1053)
Not listed.	
-	eauthorization Act of 1986 (SARA)
SARA 302 Extremely hazard Not listed.	
	Vee
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Respiratory or skin sensitization
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Clean Air Act (CAA) Sectior	n 112 Hazardous Air Pollutants (HAPs) List
Not regulated.	
	n 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
US state regulations	
California Proposition 65	
is not known to contain a	Water and Toxic Enforcement Act of 1986 (Proposition 65): This material ny chemicals currently listed as carcinogens or reproductive toxins. For ww.P65Warnings.ca.gov.
nternational Inventories	

Country(s) or region	Inventory name On inventory	y (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing country(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date

September-09-2014

Revision date	October-11-2024
Version #	08
Disclaimer	Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Product and Company Identification: Product and Company Identification Handling and storage: Conditions for safe storage, including any incompatibilities Toxicological information: Aspiration hazard Toxicological information: Carcinogenicity Toxicological information: Corrosivity Toxicological information: Eye contact Toxicological information: Mutagenicity Toxicological information: Reproductivity Toxicological information: Respiratory sensitization Toxicological information: Specific target organ toxicity - repeated exposure Toxicological information: Specific target organ toxicity - single exposure HazReg Data: International Inventories