SAFETY DATA SHEET



1. Identification

Product identifier	UNIFLOR 8991MT	
Other means of identification		
Product Code	UNIFLOR 8991MT	
Recommended use	Lubricating Grease	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplie	er/Distributor information	
Company name	Nye Lubricants, Inc.	
	A Member of the FUCHS Group	
Address	12 Howland Road	
	Fairhaven, MA 02719	
	USA	
Telephone	+1 508 996 6721	
E-mail	sds@fuchs.com	
Emergency telephone number	+1 866 519 4752	
Access code	334212	
Website	www.nyelubricants.com	
2. Hazard(s) identificatio	n	
Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1
	Reproductive toxicity	Category 1B
OSHA defined hazards	Not classified.	
Label elements		
Signal word	None. Danger	
Hazard statement	May cause an allergic skin reaction	on. May damage fertility or the unborn child.
Precautionary statement		
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.	
Storage	Store locked up.	
Disposal	Dispose of contents/container in a	accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	
3. Composition/informat	ion on ingredients	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
CYCLOHEXANE, 1,1'-(1,1,3-TRIMETHYL-1,3-PR NEDIYL)BIS-	OPA	38970-72-8	5 - < 10
MOLYBDENUM DISULFIDE		1317-33-5	5 - < 10
GRAPHITE		7782-42-5	1 - < 3
QUARTZ		14808-60-7	< 0.2
ZINC, BIS[O,O-BIS(DODECYLPHEN' PHOSPHORODITHIOATO-S,S	YL) ']-	54261-67-5	< 0.2
Other components below report	table levels		80 - < 90
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if sympton	ns develop or persist.	
Skin contact	Remove contaminated clothing immediately a eczema or other skin disorders: Seek medicated		
Eye contact	Get medical attention if irritation develops or irritation develops and persists.	persists. Rinse with water. Ge	t medical attention if
Ingestion	Rinse mouth. Get medical attention if sympto	oms occur.	
Most important symptoms/effects, acute and delayed	May cause an allergic skin reaction. Dermati	tis. Rash.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation Symptoms may be delayed.		
General information	IF exposed or concerned: Get medical advice (show the label where possible). Ensure that involved, and take precautions to protect the attendance. Wash contaminated clothing bef	medical personnel are aware mselves. Show this safety data	of the material(s)
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carl	oon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	nis will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may b	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	protective clothing must be wo	m in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers	5.	
Specific methods General fire hazards	Use standard firefighting procedures and cor No unusual fire or explosion hazards noted.	nsider the hazards of other inv	olved materials.
6. Accidental release mea	SIIRAS		
		onle away from and unwind a	fspill/leak Maar
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothin or spilled material unless wearing appropriate Local authorities should be advised if signific protection, see section 8 of the SDS.	g during clean-up. Do not touc e protective clothing. Ensure a	h damaged container dequate ventilation.
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. Clean material, if this is without risk. Following prod disposal, see section 13 of the SDS. Clean u Protective Equipment section. Sweep up and	uct recovery, flush area with v p spills immediately, observing	vater. For waste g precautions in
Environmental precautions	Avoid discharge into drains, water courses or	r onto the ground.	
7. Handling and storage			
Precautions for safe handling	Obtain special instructions before use. Do no and understood. Avoid breathing dust/fume/g and clothing. Avoid prolonged exposure. Pre- product. Should be handled in closed system appropriate personal protective equipment. O	as/mist/vapors/spray. Avoid c gnant or breastfeeding womer is, if possible. Provide adequa	ontact with eyes, skin n must not handle this te ventilation. Wear
Material name: UNIFLOR 8991MT			SDS

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	ible Exposure Limits (PEL) for Air Contam Type	Value	Form
MOLYBDENUM DISULFIDE (CAS 1317-33-5)	PEL	15 mg/m3	Total dust.
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 Permiss Components	ible Exposure Limits (PEL) for Mineral Du Type	sts (29 CFR 1910.1000) Value	Form
GRAPHITE (CAS 7782-42-5)	TWA	15 mppcf	
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3 2.4 mppcf	Respirable. Respirable.
		2.4 mppci	Respirable.
US. ACGIH Threshold Limit V Components	/alues (TLV) Type	Value	Form
GRAPHITE (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
MOLYBDENUM DISULFIDE (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
NIOSH. Immediately Dangero Components	ous to Life or Health (IDLH) Values, as ame Type	ended Value	
GRAPHITE (CAS 7782-42-5)	IDLH	1250 mg/m3	
MOLYBDENUM DISULFIDE (CAS 1317-33-5)	IDLH	5000 mg/m3	
QUARTZ (CAS 14808-60-7)	IDLH	50 mg/m3	
US. NIOSH: Pocket Guide to Components	Chemical Hazards Recommended Exposu Type	re Limits (REL) Value	Form
GRAPHITE (CAS 7782-42-5)	TWA	2.5 mg/m3	Respirable.
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
ogical limit values	No biological exposure limits noted for the in	ngredient(s).	
osure guidelines	This material does not have established exp mists, observe the OSHA PEL of 5 mg per c		ions which may generate
propriate engineering trols	Good general ventilation should be used. Ve applicable, use process enclosures, local ex maintain airborne levels below recommende established, maintain airborne levels to an a	haust ventilation, or other d exposure limits. If expo	engineering controls to
vidual protection measures, s Eye/face protection	such as personal protective equipment If contact is likely, safety glasses with side s	hields are recommended.	
Skin protection Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.		

Material name: UNIFLOR 8991MT

UNIFLOR 8991MT Version #: 07 Revision date: August-09-2024 Issue date: February-15-2014





General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

-	
Appearance	Smooth
Physical state	Solid.
Form	Solid. Semi-solid
Color	Gray Black
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.75 g/cm ³
Dropping point	>374 °F (>190 °C)
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Shelf life	4 years

10. Stability and reactivity

-	-
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong acids, alkalies and oxidizing agents.
Hazardous decomposition products	Oxides of sulfur.

Material name: UNIFLOR 8991MT

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and	May cause an allergic skin reaction. Dermatitis. Rash.

toxicological characteristics

Information on toxicological effects

Acute toxicity

Acute toxicity		
Components	Species	Test Results
GRAPHITE (CAS 7782-42-5)		
<u>Acute</u>		
Oral		
LD50	Rat	> 10000 mg/kg
MOLYBDENUM DISULFIDE (CAS	\$ 1317-33-5)	
<u>Acute</u>		
Dermal		
LD50	Rat	2500 mg/kg
Oral		
LD50	Rat	3200 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause t	emporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization	1	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
QUARTZ (CAS 14808-60		arcinogenic to humans.
	d Substances (29 CFR 1910.1001-1	
QUARTZ (CAS 14808-60)-7) Can ogram (NTP) Report on Carcinogen	
QUARTZ (CAS 14808-60		s wn To Be Human Carcinogen.
Reproductive toxicity	May damage fertility or the unborn	C C
Specific target organ toxicity -	Not classified.	
single exposure		
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Hazardous by OSHA criteria. Prolonged inhalation may be harmful.	
12. Ecological information	-	
Ecotoxicity		ironmentally hazardous. However, this does not exclude the Is can have a harmful or damaging effect on the environment.
Persistence and degradability		ibility of any ingredients in the mixture.
Bioaccumulative potential	C C	
Mobility in soil	No data available.	

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

ZINC, BIS[0,0-BIS(DODECYLPHENYL) PHOSPHORODITHIOATO-S,S']- (CAS 54261-67-5)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

QUARTZ (CAS 14808-60-7)

Cancer lung effects immune system effects kidney effects

Listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

Classified hazard categories Respiratory or skin sensitization Reproductive toxicity

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Contains component(s) regulated under the Safe Drinking Water Act.

Safe Drinking Water Act (SDWA)

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

California Proposition 65



WARNING: This product can expose you to chemicals including PENTADECAFLUOROOCTANOIC ACID, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance PENTADECAFLUOROOCTANOIC ACID (CAS 335-67-1) Listed: February 25, 2022

QUARTZ (CAS 14808-60-7) Listed: October 1, 1988 California Proposition 65 - CRT: Listed date/Developmental toxin CARBON MONOXIDE (CAS 630-08-0)

CARBON MONOXIDE (CAS 630-08-0)	Listed: July 1, 1989
PENTADECAFLUOROOCTANOIC ACID	Listed: November 10, 2017
(CAS 335-67-1)	

California Proposition 65 - CRT: Listed date/Male reproductive toxin

PERFLUORONONAN-1-OIC ACID (CAS 375-95-1) Listed: December 31, 2021

International Inventories

Country(s) or region	Inventory name On in	ventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	February-15-2014
Revision date	August-09-2024
Version #	07
Disclaimer	Nye Lubricants, Inc. A Member of the FUCHS Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.