



Lubeneotes:

Design Engineer's Guide to Selecting a Lubricant

Synthetic Food-Grade Lubricants



While many mineral-oil-based products meet the NSF International's food-grade requirements, they often do not measure up to the more demanding temperature and load requirements of modern food, beverage, and pharmaceutical processing equipment. Compared to mineral-oil lubricants, synthetics tolerate both lower and higher temperatures, offer improved antiwear properties, extend lubrication intervals, and lengthen the service life of moving parts. Like mineral oils, synthetic food-grade lubricants are nontoxic, odorless, colorless, and tasteless.

Nye's synthetic food-grade lubricants have been approved and registered by the National Sanitation Foundation (NSF) for use in and around food processing areas. They meet the Nonfood Compound H-1 guidelines for incidental food contact. All raw materials in these lubricants conform to Food and Drug Administration (FDA) CFR Title 21.

NSF has taken over the registration program formerly administered by the United States Department of Agriculture (USDA), which was discontinued in 1998. The NSF program provides a proven process for determining product acceptability and compliments NSF food processing equipment certification and food safety evaluations.

In addition to products listed on the back of this sheet, Nye can work directly with you to formulate new synthetic lubricants for your food processing and handling equipment, ensuring the new formulations use FDA recognized raw materials. We can also register new formulations with NSF.

Nye has Halal certification from the Islamic Food and Nutrition Council of America (IFANCA). This certification assures our customers that the certified food grade lubricants and production facility are in compliance with the Halal requirements under Islamic laws.

All Nye's oils and greases can be packaged in a variety of containers: bottles, jars, pails, drums, syringes and cartridges. Private labeling is also available.

For technical data, evaluation samples, questions about any synthetic food-grade lubricant product, or to discuss a synthetic food-grade lubricant custom-designed for your application – call us at +1.508.996.6721 or visit our website at nyelubricants.com.

On the back of this page is a partial list of the most commonly used Nye synthetic lubricants for food-grade applications.

Contact Nye at +1.508.996.6721
or contact@nyelubricants.com



TECHNOLOGY IN MOTION™

Multi-Purpose Oils	Certifications	Chemistry	Temp Range (°C)	Description
NyOil®	H1	Clear Mineral Oil	-20 to 100	Light viscosity, white mineral oil
Synthetic Oil 269	H1 & Halal	Synthetic Hydrocarbon	-54 to 120	ISO Grade 32 - worn gears, gear boxes
Synthetic Oil 250	H1 & Halal	Ester	-20 to 280	ISO Grade 220 - High temperature chain oil
UniFlor™ 8920	H1	PFPE	-65 to 250	ISO Grade 150 - chemically inert

Multi-Purpose Greases	Certifications	Chemistry	Temp Range (°C)	Description
Rheotemp™ 662	H1 & Halal	Synthetic Hydrocarbon & Calcium Sulfonate	-55 to 175	Light viscosity grease, superior water resistance, corrosion resistant, excellent extreme pressure and antiwear properties
NyoGel® 670	H1	Synthetic Hydrocarbon & Silica	-35 to 120	Medium viscosity grease for mechanical devices
Fluorocarbon Gel 807	H1 & Halal	Synthetic Hydrocarbon & PTFE	-40 to 125	Medium viscosity grease, good water resistance
Fluorocarbon Gel 880FG	H1 & Halal	Silicone & PTFE	-40 to 200	High viscosity damping grease, good wear performance, potable water certified
UniFlor™ 4622R-FG	H1 & Halal	PFPE & PTFE	-20 to 260	High viscosity grease with excellent high temperature performance, chemically inert, contains corrosion inhibitor
UniFlor™ 8512S-FG	H1	PFPE & PTFE	-50 to 225	Softer version of 8512-FG, for lower torque requirements, chemically inert

Nye Lubricants, Inc. 12 Howland Road Fairhaven, MA 02719 USA Ph: +1.508.996.6721 NyeLubricants.com

Because we cannot anticipate or control the many different conditions under which this information and our products may be used, we cannot guarantee the applicability of this information or the suitability of our products in any individual situation. For the same reason, the products discussed are sold without warranty, expressed or implied. Statements concerning the possible use of our products are not intended as recommendations to use our product in the infringement of any patent.

REV #30 4-17